



IECEX Quality Assessment Report Summary

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

QAR Ref. No.:	IT/CES/QAR10.0009/10	Page 1 of 2
QAR Free Ref. No.:	CESI-C0007570	Status: Issued
Details of change:	Re-Assessment Audit - Audit performed remotely	Date of issue: 2020-05-23
Site(s) audited:	COELBO S.r.l. Via S. Margherita, 83 I - 20861 Brugherio (MB) Italy	Valid until: 2023-05-23 Audit date: 2020-05-23
Issuing ExCB:	CES - CESI	
Manufacturer:	COELBO S.r.l. Via Santa Margherita, 83 I – 20861 Brugherio (MB)	
Location of Manufacturer:	Italy	
Product information:	Control and command units Terminal boxes Enclosures and accessories Luminaries and accessories Fittings for electrical installation Grounding clamps	
Protection concept:	Flameproof enclosures 'd'; Increased safety 'e', Intrinsic safety 'i'; Dust ignition protection 'tD'. Dust ignition protection 't'. Inherently safe optical radiation 'op is' Protected optical radiation 'op pr'	
Related QARs:		
IT/CES/QAR10.0009/00	IT/CES/QAR10.0009/01	IT/CES/QAR10.0009/02
IT/CES/QAR10.0009/03	IT/CES/QAR10.0009/04	IT/CES/QAR10.0009/05
IT/CES/QAR10.0009/06	IT/CES/QAR10.0009/07	IT/CES/QAR10.0009/08
IT/CES/QAR10.0009/09		
Related Certificates (manual insertion):		
Related Certificates (automatic linking):		



IECEX Quality Assessment Report Summary

Related Certificates for
previous versions:

IECEX EPS 13.0033 issue: 0
IECEX EPS 13.0037X issue: 0
IECEX EPS 14.0017 issue: 0
IECEX EPS 14.0036 issue: 0
IECEX EPS 14.0103 issue: 0
IECEX INE 13.0053X issue: 0
IECEX INE 13.0065X issue: 1

IECEX EPS 13.0033 issue: 1
IECEX EPS 13.0038U issue: 0
IECEX EPS 14.0030X issue: 0
IECEX EPS 14.0086X issue: 0
IECEX EPS 14.0104 issue: 0
IECEX INE 13.0054X issue: 0
IECEX INE 14.0023U issue: 0

IECEX EPS 13.0034 issue: 0
IECEX EPS 14.0016U issue: 0
IECEX EPS 14.0035 issue: 0
IECEX EPS 14.0087U issue: 0
IECEX EPS 15.0009 issue: 0
IECEX INE 13.0065X issue: 0
IECEX INE 14.0056U issue: 0

Comments:

Audit performed remotely as per OD060 (for dealing with Business Continuity in the face of Extraordinary Circumstances and Events) and ACCREDIA Technical Circular - DC N ° 06/2020 (Coronavirus Emergency: new provisions of 17/03/2020).

The ATEX certificates (in the scope of audit) are related to CESI Notification no. CESI 02ATEX063Q with validity until 2020.05.23.

Issued Date of this QAR is May 23, 2020. Effective date of audit in field was April 15-16, 2020.